

Dynamic Walk: Adult Custom Fabrication Order Form



2710 Amnicola Highway
Chattanooga, TN 37406
423.624.0946
Fax 423.698.6076
centralfab@fillauer.com

Company _____

Practitioner _____

Account No. _____

Phone _____

Address Line 1 _____

Email _____

Address Line 2 _____





Patient ID _____

City, State, Zip _____

Purchase Order _____

Diagnosis _____

700100100 Custom Dynamic Walk

<input type="checkbox"/> Standard (2 PEEK Rods) 	<input type="checkbox"/> Double Double (4 PEEK Rods) 
<input type="checkbox"/> Single Side Lateral <input type="checkbox"/> Single Side Medial (2 PEEK Rods) 	<input type="checkbox"/> Attach to Shoe <input type="checkbox"/> Standard <input type="checkbox"/> Medial Only <input type="checkbox"/> Lateral Only 

Please specify:

- Right Foot Left Foot Bilateral

Choose Options

- Carbon standard layup: same as custom fit version
- Reinforced foot plate for increased durability
- Reinforced calf band for increased durability
- Custom foot orthotic (+ \$40)
- Additional PEEK rods (+ \$50)

- Would you like us to contact you prior to fabricating the brace?

Notes _____


Mold Type

Negative cast, insole tracing, and measurement form preferred.

- Positive cast
- Negative cast
- Modified positive cast
- 3D Scan (.stl, .xyz, .obj, .op3 file types accepted)

Please note that if non-standard trim lines are not indicated, then standard trim lines will be applied.

Please fill in all of the measurements below



Casting Instructions

- **Include a tracing of the Insole of the shoe to be used.**
- **Please mark the desired height of brace on the finished cast.**
- Patient should be weight bearing, standing straight with upright posture when casting. The calf needs to be at a 90° angle to the horizontal plane with the foot at the required heel height. The patient needs to be casted up to the tibial tuberosity.
- Please mark the pressure points or any areas we should avoid covering on the positive or negative cast.